

WJ200-L (損失 CT)

Fc kHz	Load (%)	001L		002L		004L		007L		015L		022L		037L		055L		075L		110L		150L	
		Im(A)	PI(W)	Im(A)	PI(W)	Im(A)	PI(W)	Im(A)	PI(W)	Im(A)	PI(W)	Im(A)	PI(W)	Im(A)	PI(W)	Im(A)	PI(W)	Im(A)	PI(W)	Im(A)	PI(W)	Im(A)	PI(W)
2	20	0.20	11	0.32	11	0.6	12	1.0	19	1.6	21	2.2	25	3.5	30	5.0	39	6.6	44	9.4	62	12.0	74
2	40	0.40	11	0.64	12	1.2	15	2.0	23	3.2	28	4.4	37	7.0	50	10.0	66	13.2	79	18.8	110	24.0	139
2	60	0.60	12	0.96	14	1.8	17	3.0	28	4.8	37	6.6	51	10.5	72	15.0	96	19.8	117	28.2	164	36.0	214
2	70	0.70	13	1.12	14	2.1	19	3.5	31	5.6	42	7.7	59	12.3	85	17.5	112	23.1	138	32.9	194	42.0	256
2	100	1.00	14	1.60	17	3.0	24	5.0	41	8.0	58	11.0	85	17.5	129	25.0	166	33.0	209	47.0	292	60.0	396
3	20	0.20	11	0.32	11	0.6	12	1.0	19	1.6	21	2.2	25	3.5	31	5.0	41	6.6	47	9.4	64	12.0	77
3	40	0.40	12	0.64	13	1.2	15	2.0	24	3.2	29	4.4	38	7.0	51	10.0	71	13.2	84	18.8	113	24.0	144
3	60	0.60	12	0.96	14	1.8	18	3.0	29	4.8	38	6.6	53	10.5	75	15.0	103	19.8	126	28.2	170	36.0	221
3	70	0.70	13	1.12	15	2.1	20	3.5	32	5.6	43	7.7	61	12.3	88	17.5	121	23.1	149	32.9	200	42.0	264
3	100	1.00	14	1.60	17	3.0	25	5.0	42	8.0	61	11.0	89	17.5	134	25.0	178	33.0	224	47.0	302	60.0	408
4	20	0.20	11	0.32	11	0.6	12	1.0	19	1.6	22	2.2	26	3.5	32	5.0	44	6.6	50	9.4	65	12.0	79
4	40	0.40	12	0.64	13	1.2	15	2.0	24	3.2	30	4.4	39	7.0	53	10.0	76	13.2	90	18.8	117	24.0	149
4	60	0.60	12	0.96	14	1.8	18	3.0	30	4.8	39	6.6	54	10.5	77	15.0	110	19.8	135	28.2	176	36.0	229
4	70	0.70	13	1.12	15	2.1	20	3.5	33	5.6	45	7.7	63	12.3	91	17.5	129	23.1	159	32.9	207	42.0	273
4	100	1.00	14	1.60	17	3.0	26	5.0	44	8.0	63	11.0	92	17.5	138	25.0	190	33.0	238	47.0	311	60.0	420
6	20	0.20	11	0.32	11	0.6	13	1.0	20	1.6	22	2.2	27	3.5	34	5.0	49	6.6	56	9.4	69	12.0	84
6	40	0.40	12	0.64	13	1.2	16	2.0	25	3.2	31	4.4	41	7.0	56	10.0	85	13.2	102	18.8	125	24.0	158
6	60	0.60	13	0.96	15	1.8	19	3.0	31	4.8	42	6.6	58	10.5	82	15.0	125	19.8	152	28.2	187	36.0	243
6	70	0.70	13	1.12	15	2.1	21	3.5	35	5.6	48	7.7	67	12.3	97	17.5	146	23.1	179	32.9	220	42.0	290
6	100	1.00	15	1.60	18	3.0	27	5.0	47	8.0	68	11.0	100	17.5	148	25.0	214	33.0	267	47.0	330	60.0	445
8	20	0.20	11	0.32	12	0.6	13	1.0	20	1.6	23	2.2	28	3.5	35	5.0	53	6.6	62	9.4	73	12.0	89
8	40	0.40	12	0.64	13	1.2	16	2.0	26	3.2	33	4.4	43	7.0	59	10.0	95	13.2	114	18.8	132	24.0	168
8	60	0.60	13	0.96	15	1.8	20	3.0	33	4.8	44	6.6	62	10.5	87	15.0	139	19.8	170	28.2	198	36.0	258
8	70	0.70	14	1.12	16	2.1	22	3.5	37	5.6	51	7.7	72	12.3	103	17.5	163	23.1	200	32.9	234	42.0	307
8	100	1.00	15	1.60	19	3.0	29	5.0	49	8.0	73	11.0	107	17.5	157	25.0	238	33.0	297	47.0	349	60.0	469
10	20	0.20	11	0.32	12	0.6	13	1.0	21	1.6	24	2.2	29	3.5	37	5.0	58	6.6	68	9.4	77	12.0	94
10	40	0.40	12	0.64	14	1.2	17	2.0	27	3.2	34	4.4	46	7.0	62	10.0	104	13.2	125	18.8	140	24.0	178
10	60	0.60	13	0.96	16	1.8	21	3.0	34	4.8	47	6.6	65	10.5	93	15.0	154	19.8	187	28.2	210	36.0	272
10	70	0.70	14	1.12	17	2.1	23	3.5	39	5.6	54	7.7	76	12.3	109	17.5	180	23.1	220	32.9	247	42.0	324
10	100	1.00	16	1.60	20	3.0	31	5.0	52	8.0	78	11.0	114	17.5	166	25.0	263	33.0	326	47.0	368	60.0	493
12	20	0.20	11	0.32	12	0.6	13	1.0	21	1.6	24	2.2	30	3.5	38	5.0	63	6.6	74	9.4	81	12.0	99
12	40	0.40	12	0.64	14	1.2	17	2.0	28	3.2	36	4.4	48	7.0	66	10.0	114	13.2	137	18.8	148	24.0	188
12	60	0.60	14	0.96	16	1.8	22	3.0	36	4.8	49	6.6	69	10.5	98	15.0	168	19.8	205	28.2	221	36.0	287
12	70	0.70	14	1.12	17	2.1	24	3.5	40	5.6	57	7.7	81	12.3	115	17.5	197	23.1	241	32.9	260	42.0	341
12	100	1.00	16	1.60	21	3.0	32	5.0	55	8.0	84	11.0	121	17.5	175	25.0	287	33.0	355	47.0	388	60.0	518
14	20	0.20	11	0.32	12	0.6	14	1.0	22	1.6	25	2.2	31	3.5	40	5.0	68	6.6	79	9.4	84	12.0	103
14	40	0.40	13	0.64	14	1.2	18	2.0	29	3.2	37	4.4	50	7.0	69	10.0	124	13.2	149	18.8	155	24.0	197
14	60	0.60	14	0.96	17	1.8	22	3.0	38	4.8	52	6.6	73	10.5	103	15.0	183	19.8	223	28.2	233	36.0	302
14	70	0.70	15	1.12	18	2.1	25	3.5	42	5.6	60	7.7	85	12.3	121	17.5	214	23.1	261	32.9	274	42.0	358
14	100	1.00	17	1.60	22	3.0	34	5.0	58	8.0	89	11.0	128	17.5	185	25.0	311	33.0	385	47.0	407	60.0	542
15	20	0.20	11	0.32	12	0.6	14	1.0	22	1.6	25	2.2	31	3.5	41	5.0	70	6.6	82	9.4	86	12.0	106
15	40	0.40	13	0.64	14	1.2	18	2.0	29	3.2	38	4.4	51	7.0	71	10.0	129	13.2	154	18.8	159	24.0	202
15	60	0.60	14	0.96	17	1.8	23	3.0	38	4.8	53	6.6	74	10.5	105	15.0	190	19.8	231	28.2	238	36.0	309
15	70	0.70	15	1.12	18	2.1	26	3.5	43	5.6	61	7.7	87	12.3	124	17.5	222	23.1	272	32.9	280	42.0	366
15	100	1.00	17	1.60	22	3.0	34	5.0	60	8.0	91	11.0	131	17.5	189	25.0	323	33.0	399	47.0	416	60.0	554

WJ200-L (損失 VT)

Fc kHz	Load (%)	001L		002L		004L		007L		015L		022L		037L		055L		075L		110L		150L	
		Im(A)	PI(W)	Im(A)	PI(W)	Im(A)	PI(W)	Im(A)	PI(W)	Im(A)	PI(W)	Im(A)	PI(W)	Im(A)	PI(W)	Im(A)	PI(W)	Im(A)	PI(W)	Im(A)	PI(W)	Im(A)	PI(W)
2	20	0.24	11	0.38	11	0.7	13	1.2	19	1.9	22	2.4	26	3.9	33	6.0	44	8.0	51	11.2	70	13.8	83
2	40	0.48	12	0.76	13	1.4	16	2.4	25	3.8	31	4.8	39	7.8	55	12.0	78	16.0	94	22.4	130	27.6	160
2	60	0.72	13	1.14	14	2.1	19	3.6	32	5.8	43	7.2	55	11.8	81	18.0	116	24.0	144	33.6	198	41.4	251
2	70	0.84	13	1.33	15	2.5	21	4.2	35	6.7	49	8.4	64	13.7	97	21.0	136	28.0	172	39.2	236	48.3	302
2	100	1.20	15	1.90	18	3.5	28	6.0	48	9.6	71	12.0	94	19.6	149	30.0	205	40.0	265	56.0	363	69.0	475
3	20	0.24	11	0.38	11	0.7	13	1.2	20	1.9	23	2.4	26	3.9	33	6.0	47	8.0	55	11.2	73	13.8	86
3	40	0.48	12	0.76	13	1.4	16	2.4	26	3.8	32	4.8	40	7.8	56	12.0	83	16.0	102	22.4	134	27.6	166
3	60	0.72	13	1.14	15	2.1	20	3.6	33	5.8	44	7.2	57	11.8	84	18.0	124	24.0	155	33.6	205	41.4	260
3	70	0.84	13	1.33	16	2.5	22	4.2	36	6.7	51	8.4	66	13.7	100	21.0	146	28.0	184	39.2	244	48.3	312
3	100	1.20	15	1.90	19	3.5	29	6.0	50	9.6	74	12.0	98	19.6	154	30.0	220	40.0	283	56.0	374	69.0	489
4	20	0.24	11	0.38	12	0.7	13	1.2	20	1.9	23	2.4	27	3.9	34	6.0	50	8.0	58	11.2	75	13.8	89
4	40	0.48	12	0.76	13	1.4	16	2.4	26	3.8	33	4.8	42	7.8	58	12.0	89	16.0	109	22.4	139	27.6	172
4	60	0.72	13	1.14	15	2.1	20	3.6	34	5.8	46	7.2	59	11.8	87	18.0	133	24.0	166	33.6	212	41.4	268
4	70	0.84	14	1.33	16	2.5	22	4.2	38	6.7	53	8.4	69	13.7	103	21.0							

HITACHI

Inspire the Next

WJ200-H (損失 CT)

Fc	Load (%)	004H		007H		015H		022H		030H		040H		055H		075H		110H		150H	
		Im(A)	Pi(W)	Im(A)	Pi(W)	Im(A)	Pi(W)	Im(A)	Pi(W)	Im(A)	Pi(W)	Im(A)	Pi(W)	Im(A)	Pi(W)	Im(A)	Pi(W)	Im(A)	Pi(W)	Im(A)	Pi(W)
2	20	0.36	13	0.68	16	1.0	24	1.1	25	1.4	29	1.8	34	3.0	39	3.6	44	4.8	61	6.2	75
2	40	0.72	17	1.36	24	1.9	35	2.2	37	2.9	46	3.7	56	5.9	66	7.2	79	9.6	111	12.4	143
2	60	1.08	20	2.04	31	2.9	47	3.3	50	4.3	68	5.5	81	8.9	97	10.8	119	14.4	168	18.6	224
2	70	1.26	22	2.38	36	3.4	54	3.9	58	5.0	74	6.4	95	10.4	114	12.6	141	16.8	199	21.7	270
2	100	1.80	29	3.40	50	4.8	77	5.5	81	7.2	107	9.2	142	14.8	171	18.0	214	24.0	306	31.0	427
3	20	0.36	14	0.68	17	1.0	25	1.1	26	1.4	31	1.8	36	3.0	42	3.6	49	4.8	63	6.2	78
3	40	0.72	18	1.36	25	1.9	37	2.2	39	2.9	49	3.7	59	5.9	73	7.2	88	9.6	115	12.4	148
3	60	1.08	22	2.04	34	2.9	50	3.3	54	4.3	68	5.5	87	8.9	108	10.8	132	14.4	174	18.6	232
3	70	1.26	24	2.38	38	3.4	58	3.9	61	5.0	79	6.4	101	10.4	127	12.6	156	16.8	207	21.7	279
3	100	1.80	31	3.40	53	4.8	82	5.5	87	7.2	114	9.2	151	14.8	189	18.0	237	24.0	316	31.0	440
4	20	0.36	14	0.68	18	1.0	26	1.1	27	1.4	32	1.8	37	3.0	46	3.6	53	4.8	66	6.2	80
4	40	0.72	18	1.36	26	1.9	39	2.2	41	2.9	52	3.7	63	5.9	80	7.2	97	9.6	119	12.4	154
4	60	1.08	23	2.04	36	2.9	54	3.3	57	4.3	73	5.5	92	8.9	119	10.8	146	14.4	180	18.6	240
4	70	1.26	25	2.38	41	3.4	61	3.9	65	5.0	84	6.4	108	10.4	140	12.6	172	16.8	214	21.7	289
4	100	1.80	32	3.40	57	4.8	87	5.5	92	7.2	122	9.2	161	14.8	207	18.0	259	24.0	327	31.0	453
6	20	0.36	15	0.68	19	1.0	28	1.1	30	1.4	35	1.8	41	3.0	53	3.6	62	4.8	70	6.2	86
6	40	0.72	20	1.36	29	1.9	43	2.2	46	2.9	58	3.7	71	5.9	95	7.2	115	9.6	127	12.4	164
6	60	1.08	25	2.04	40	2.9	60	3.3	63	4.3	82	5.5	104	8.9	141	10.8	173	14.4	193	18.6	256
6	70	1.26	28	2.38	46	3.4	69	3.9	73	5.0	95	6.4	121	10.4	165	12.6	203	16.8	228	21.7	307
6	100	1.80	36	3.40	64	4.8	97	5.5	103	7.2	137	9.2	180	14.8	244	18.0	304	24.0	347	31.0	480
8	20	0.36	16	0.68	21	1.0	30	1.1	32	1.4	38	1.8	45	3.0	60	3.6	71	4.8	74	6.2	91
8	40	0.72	21	1.36	32	1.9	47	2.2	50	2.9	63	3.7	78	5.9	110	7.2	133	9.6	136	12.4	175
8	60	1.08	27	2.04	45	2.9	66	3.3	70	4.3	91	5.5	115	8.9	163	10.8	199	14.4	205	18.6	273
8	70	1.26	31	2.38	51	3.4	76	3.9	81	5.0	105	6.4	135	10.4	191	12.6	235	16.8	243	21.7	326
8	100	1.80	40	3.40	72	4.8	108	5.5	114	7.2	152	9.2	199	14.8	281	18.0	349	24.0	368	31.0	507
10	20	0.36	16	0.68	22	1.0	32	1.1	34	1.4	41	1.8	49	3.0	68	3.6	80	4.8	78	6.2	96
10	40	0.72	23	1.36	35	1.9	51	2.2	55	2.9	69	3.7	86	5.9	124	7.2	150	9.6	144	12.4	186
10	60	1.08	30	2.04	49	2.9	72	3.3	77	4.3	100	5.5	127	8.9	185	10.8	226	14.4	218	18.6	289
10	70	1.26	33	2.38	56	3.4	83	3.9	88	5.0	116	6.4	148	10.4	217	12.6	266	16.8	257	21.7	345
10	100	1.80	44	3.40	79	4.8	118	5.5	125	7.2	167	9.2	218	14.8	318	18.0	394	24.0	389	31.0	534
12	20	0.36	17	0.68	24	1.0	35	1.1	36	1.4	44	1.8	53	3.0	75	3.6	89	4.8	82	6.2	102
12	40	0.72	24	1.36	38	1.9	56	2.2	59	2.9	75	3.7	94	5.9	139	7.2	168	9.6	152	12.4	197
12	60	1.08	32	2.04	53	2.9	78	3.3	83	4.3	109	5.5	138	8.9	207	10.8	253	14.4	230	18.6	305
12	70	1.26	36	2.38	61	3.4	90	3.9	96	5.0	126	6.4	161	10.4	242	12.6	298	16.8	272	21.7	364
12	100	1.80	48	3.40	86	4.8	128	5.5	136	7.2	181	9.2	237	14.8	354	18.0	439	24.0	410	31.0	561
14	20	0.36	18	0.68	25	1.0	37	1.1	38	1.4	47	1.8	56	3.0	82	3.6	98	4.8	86	6.2	107
14	40	0.72	26	1.36	41	1.9	60	2.2	63	2.9	81	3.7	101	5.9	154	7.2	186	9.6	160	12.4	207
14	60	1.08	34	2.04	58	2.9	84	3.3	90	4.3	118	5.5	149	8.9	229	10.8	280	14.4	242	18.6	321
14	70	1.26	39	2.38	66	3.4	97	3.9	103	5.0	136	6.4	175	10.4	268	12.6	329	16.8	286	21.7	382
14	100	1.80	52	3.40	93	4.8	139	5.5	147	7.2	196	9.2	256	14.8	391	18.0	484	24.0	430	31.0	587
15	20	0.36	18	0.68	26	1.0	38	1.1	39	1.4	49	1.8	58	3.0	86	3.6	102	4.8	88	6.2	110
15	40	0.72	27	1.36	42	1.9	62	2.2	65	2.9	84	3.7	105	5.9	161	7.2	195	9.6	164	12.4	213
15	60	1.08	36	2.04	60	2.9	88	3.3	93	4.3	122	5.5	155	8.9	240	10.8	293	14.4	249	18.6	329
15	70	1.26	40	2.38	69	3.4	101	3.9	107	5.0	142	6.4	181	10.4	281	12.6	345	16.8	294	21.7	392
15	100	1.80	54	3.40	97	4.8	144	5.5	153	7.2	204	9.2	266	14.8	409	18.0	506	24.0	441	31.0	601

WJ200-H (損失 VT)

Fc	Load (%)	004H		007H		015H		022H		030H		040H		055H		075H		110H		150H	
		Im(A)	Pi(W)	Im(A)	Pi(W)	Im(A)	Pi(W)	Im(A)	Pi(W)	Im(A)	Pi(W)	Im(A)	Pi(W)	Im(A)	Pi(W)	Im(A)	Pi(W)	Im(A)	Pi(W)	Im(A)	Pi(W)
2	20	0.42	14	0.82	17	1.1	25	1.4	28	1.8	33	2.2	38	3.5	43	4.6	53	6.2	75	7.6	89
2	40	0.84	18	1.64	27	2.2	38	2.8	44	3.5	54	4.4	66	7.0	77	9.2	100	12.4	143	15.2	178
2	60	1.26	22	2.46	37	3.2	52	4.1	62	5.3	77	6.7	98	10.5	116	13.8	156	18.6	224	22.8	287
2	70	1.47	25	2.87	42	3.8	60	4.8	71	6.2	90	7.8	116	12.3	137	16.1	187	21.7	270	26.6	349
2	100	2.10	32	4.10	60	5.4	87	6.9	105	8.8	134	11.1	178	17.5	210	23.0	293	31.0	427	38.0	564
3	20	0.42	14	0.82	19	1.1	27	1.4	29	1.8	35	2.2	40	3.5	48	4.6	59	6.2	78	7.6	92
3	40	0.84	19	1.64	28	2.2	40	2.8	46	3.5	57	4.4	70	7.0	85	9.2	112	12.4	148	15.2	185
3	60	1.26	24	2.46	39	3.2	56	4.1	66	5.3	83	6.7	105	10.5	129	13.8	173	18.6	232	22.8	297
3	70	1.47	26	2.87	45	3.8	64	4.8	76	6.2	97	7.8	124	12.3	152	16.1	207	21.7	279	26.6	360
3	100	2.10	34	4.10	65	5.4	93	6.9	111	8.8	143	11.1	190	17.5	231	23.0	322	31.0	440	38.0	581
4	20	0.42	15	0.82	20	1.1	28	1.4	31	1.8	36	2.2	42	3.5	52	4.6	65	6.2	80	7.6	96
4	40	0.84	20	1.64	30	2.2	43	2.8	49	3.5	61	4.4	75	7.0	94	9.2	123	12.4	154	15.2	191
4	60	1.26	25	2.46	42	3.2	59	4.1	70	5.3	88	6.7	112	10.5	142	13.8	190	18.6	240	22.8	307
4	70	1.47	28	2.87	48	3.8	68	4.8	81	6.2	103	7.8	133	12.3	167	16.1	227	21.7	289	26.6	372
4	100	2.10	37	4.10	69	5.4	99	6.9	118	8.8	153	11.1	201	17.5	253	23.0	351	31.0	453	38.0	597
6	20	0.42	16	0.82	21	1.1	30	1.4	34	1.8	40	2.2	47	3.5	61	4.6	76	6.2	86	7.6	102
6	40	0.84	22	1.64	34	2.2	47	2.8	55	3.5	68	4.4	84	7.0	111	9.2	146	12.4	164	15.2	204
6	60	1.26	28	2.46	47	3.2	66	4.1	78	5.3	99	6.7	126	10.5	168	13.8	225	18.6	256	22.8	326
6	70	1.47	31	2.87	55	3.8	77	4.8	91	6.2	116	7.8	149	12.3	198	16.1	267	21.7	307	26.6	395
6	100	2.10	41	4.10	78	5.4	110	6.9	132	8.8	171	11.1	224	17.5	296	23.0	408				